

The Scoop about Poop:

Sanitation Lessons from WASHplus

Renuka Bery

FHI 360

October 29, 2015





Environmental context

- High water table
- Flooding
- Sandy soils
- Rocky terrain

Improper Design

- Overflows

Cheaper Latrine

Take safety precautions when digging deep pits



All latrines need a lid



Sanitation Marketing and Fecal Sludge Management

Innovation in Madagascar

- Public-private WASH blocks
- Fecal sludge management as a business
- Capacity building in comprehensive sanitation services



Bangladesh – Child Poo

Age Cohorts

- Infant/lap child – under 6 months
 - Crawling baby 6–12 months
 - Toddler – 1-3 years
 - Young child 3–6 years
-
- Crawling baby...(feasible actions)
 - Let her poop wherever then use the trowel/hoe, take to latrine
 - Sit the child on the potty (even when not pooping) to familiarize with the potty



- Efforts to provide access to physically-challenged started when integrating WASH & HIV
- Applied to sanitation efforts
- Incorporated into national CLTS policy and MOH-led training and triggering
- Inclusive sanitation indicators added in national M&E reporting requirements



WASH Results

- 7,527 latrines built /1,857 rehabilitated
- 136 villages (76% of triggered) ODF certified
- 48 Water points rehabilitated
- 30,000 Aquatabs purchased per quarter





Nutrition Results


- 300 cooking demonstrations by quarter
- Reduction in emergency nutrition visits (from 17% to 1% in one year)
- Planting 8000 fruit trees for nutrition and conservation



- Briefs
- Job aids
- Training tools

www.washplus.org





Thank you!

www.washplus.org